

Certificate of Flame Resistance

REGISTERED
APPLICATION
NUMBER

FI21.4



ISSUED BY



EVANSVILLE, INDIANA 47711

MANUFACTURERS OF THE FINISHED
TENT PRODUCTS DESCRIBED HEREIN

Date of Manufacture
4/09/98

Order Number
181660

This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:

RENTAL CITY
130 S MAIN

LONGMONT CO 80501

Certification is hereby made that:

The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshal Code, equal to exceeds NFPA 701, CPAI 84, ULC 109. The method of the FR chemical application is:

Serial #:	8043900	(0001)
Description of item certified:	FI PLS END 40W X 20 LO VL W W	

Flame Retardant Process Used Will Not Be Removed By Washing And Is Effective For The Life Of The Fabric

JOHN ROYLE & CO
STATESVILLE, NC
Name of Applicator of Flame Resistant Finish

Signed: *James D. Zsmall*
TENT DEPARTMENT—ANCHOR INDUSTRIES INC.


Certificate of Flame Resistance

REGISTERED APPLICATION NUMBER

F31.02



ISSUED BY



EVANSVILLE, INDIANA 47711

MANUFACTURERS OF THE FINISHED TENT PRODUCTS DESCRIBED HEREIN

This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:

RENTAL CITY
130 S MAIN
LONGMONT

CO 80501

Certification is hereby made that:
The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshal Code, equal to exceeds NFPA 701, CPAI 84, ULC 109.
The method of the FR chemical application is:

Serial #: 8140100

(0901)

Description of item certified: CBNT MMD 40W X 20 VL W W

Flame Retardant Process Used Will Not Be Removed By Washing And Is Effective For The Life Of The Fabric

DURACOTE, RAVENNA, OH

Name of Applicator of Flame Resistant Finish

Signed:


James D. Brueser
TENT DEPARTMENT—ANCHOR INDUSTRIES INC.

Date of Manufacture	6/02/98
Order Number	192444

Certificate of Flame Resistance

REGISTERED APPLICATION NUMBER

FR121.4



ISSUED BY



EVANSVILLE, INDIANA 47711

MANUFACTURERS OF THE FINISHED TENT PRODUCTS DESCRIBED HEREIN

Date of Manufacture	5/9/01
Order Number	335731

This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:

692330
RENTAL CITY
6330 GUNPARK DR

BOULDER CO 80301

Certification is hereby made that:
The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshal Code, equal to exceeds NFPA 701, CPAI 84, ULC 109. The method of the FR chemical application is:

Serial #:	8045900 (1)
Description of item certified:	FR PLS CAT END 40W X 20 LO W

Flame Retardant Process Used Will Not Be Removed By Washing And Is Effective For The Life Of The Fabric


JOHN BOYLE STATESVILLE NC
Name of Applicator of Flame Resistant Finish

Signed: *James D. Thrasher*
TENT DEPARTMENT—ANCHOR INDUSTRIES INC.

Certificate of Flame Resistance

REGISTERED APPLICATION NUMBER

F121.4



ISSUED BY
ANCHOR INDUSTRIES INC.

EVANSVILLE, INDIANA 47711

MANUFACTURERS OF THE FINISHED TENT PRODUCTS DESCRIBED HEREIN

This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:

692330
RENTAL CITY
6330 GUNPARK DR

BOULDER CO 80301

40' x 40'
Pole

Certification is hereby made that:
The articles described on this Certificate have been treated with a chemical and that the application of said chemical was done in confor Marshall Code, equal to exceeds NFPA 701, CPAI 84, ULC 109.
The method of the FR chemical application is:

Serial #: 8045600 (1)

Description of item certified:

FR PLS CAT END 40W X 20 HO W

Flame Retardant Process Used Will Not Be Removed By Washing And is Effective For The Life Of The Fabric

JOHNBOYLE STATESVILLE NC
Name of Applicator of Flame Resistant Finish


Signed: *James D. Brewer*
TENT DEPARTMENT—ANCHOR INDUSTRIES INC.

Date of Manufacture	6/9/01
Order Number	335731

Certificate of Flame Resistance

REGISTERED APPLICATION NUMBER

R121.4



ISSUED BY
ANCHOR
INDUSTRIES INC.

EVANSVILLE, INDIANA 47711

MANUFACTURERS OF THE FINISHED TENT PRODUCTS DESCRIBED HEREIN

Date of Manufacture	05/24/01
Order Number	338776

This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:

692330
RENTAL CITY
6330 GUNPARK DR
BOULDER CO. 80301

Certification is hereby made that:
The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshal Code, equal to exceeds NFPA 701, CPAI 84, ULC 109. The method of the FR chemical application is:

Serial #:	8045900 (1)
Description of item certified:	FR PLUS CAT BND 40W X 20 LO W

Flame Retardant Process Used Will Not Be Removed By Washing And Is Effective For The Life Of The Fabric

JOHN BOYLE STATESVILLE NC
Name of Applicator of Flame Resistant Finish

Signed: *James D. Shumer*
TENT DEPARTMENT—ANCHOR INDUSTRIES INC.

Certificate of Flame Resistance

REGISTERED
APPLICATION
NUMBER

F 121.4



ISSUED BY

ANCHOR INDUSTRIES INC.

EVANSVILLE, INDIANA 47711

MANUFACTURERS OF THE FINISHED
TENT PRODUCTS DESCRIBED HEREIN

Date of Manufacture

2 / 15 / 94

Order Number

052680

This is to certify that the materials described have been flame-retardant treated
(or are inherently nonflammable) and were supplied to:

RENTAL CITY
130 S MAIN

LONGMONT

CO 80501

Certification is hereby made that:

The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshall Code, equal to or exceeds NFPA 701, CPAI 84 Method of application:

Type, color and weight of canvas/Vinyl: 8043000

(0001)

Description of item certified: FI PLS TOP 40W X 40 VL W W

**Flame Retardant Process Used Will Not Be Removed By
Washing And Is Effective For The Life Of The Fabric**

JOHN BOYLE & CO

Name of Applicator of Flame Resistant Finish
STATESVILLE, NC

Signed:

TENT DEPARTMENT-ANCHOR INDUSTRIES INC.